

**From:** [Fortson, Donald O.](#)  
**To:** [Ashmeade, Iris](#)  
**Subject:** FW: Pictures of (b)(6)  
**Date:** Tuesday, January 18, 2022 2:02:00 PM

---

Iris,

I just wanted you to be aware of how bad the rodents are in the building now. Please review the pictures attached. The next step is to have the pest control technician come in to the building. Thanks!

---

**From:** Williams, Patrice <williams.patrice@epa.gov>  
**Sent:** Tuesday, January 18, 2022 1:58 PM  
**To:** Fortson, Donald O. <Fortson.DonaldO@epa.gov>; lucious.sims <lucious.sims@gsa.gov>  
**Cc:** Scott, Barbara <Scott.Barbara@epa.gov>  
**Subject:** FW: Pictures of (b)(6)

Lucious,

Can you please also have the pest control technician to check the trap in cubicle (b)(6)? It seems like the rodent got a way. Here are some pictures, see attachments.

Thanks in advance.

*Patrice A. Williams, MBA*

Support Services Specialist

US EPA

61 Forsyth Street, SW, MC-9T25

Atlanta, GA 30303

Work: (404) 562-8267

Cell: (404) 693-0014

"Leadership isn't about being great. It's about enabling others to be great." David McQueen

---

**From:** Patrice Williams <(b)(6)>  
**Sent:** Tuesday, January 18, 2022 1:45 PM  
**To:** Williams, Patrice <[williams.patrice@epa.gov](mailto:williams.patrice@epa.gov)>  
**Subject:** Pictures of (b)(6)